
smart forfour accessories 2004 - E



-	-	
Sn	$\mathbf{n}\mathbf{c}$	I
21		

1	Titel		1
2	Table of	of contents	2
3	Commu	nication media	
	3.1	smart forfour Accessories Brochure	3
	3.2	smart forfour Accessories Price Lists	4
	3.3	Product Information Tool (PIT)	5
	3.4	Internet Presence	6
4	smart	forfour accessories	
	4.1	Interior	7
	4.2	Exterior	28
	4.3	Function & Telematics	32
	4.4	Driving Dynamics	36
	4.5	Safety	44

Communication media


Media:	Accessories & BRABUS tuning 2004 smart forfour		
Target group:	End customers		
Deployment at:	POS/fairs/events from 03/04		

To **support** your **sales activities accessories brochures** are available for each series. The brochures contain both **smart accessories** and **smart BRABUS accessories**.

The brochures can be ordered in GLC/ELC via your Dealer Management System.

Accessories Brochure: smart forfour

part number:	description:	language:
0019494 V001 000000	ACC454 04D-D	german
0019495 V001 000000	ACC454 04E-D	english
0019496 V001 000000	ACC454 04F-F	french
0019497 V001 000000	ACC454 041-1	italian
0019498 V001 000000	ACC454 04NL-NL	dutch
0019499 V001 000000	ACC454 04SP-SP	spanish
0019502 V001 000000	ACC454 04P-P	portuguese
0019503 V001 000000	ACC454 04SW-SW	swedish



» Perfekt aufeinander abgestimmt und durchdacht bis ins Detail.

So macht das Eulwhör Baws smart fordour mehr Pankte and Spad. Nas auch immer Sie als Michates vochabes, 5 Huden hie albes, was die brauches.





init initial init

and the set of the set






 Papere Indexines Las of the Indexines Las

Communication media

Media:	Price lists - accessories & BRABUS tuning 2004 smart forfour
Target group:	End customers
Deployment at:	POS/fairs/events (produced by MPC) from 03/04

The price lists contain both smart forfour accessory prices and smart BRABUS forfour accessory prices.

Price lists can be obtained from your MPC.



BRABUS Accessories		1000				
he ha have block a second to be added a been per sent to be a second of the to be the second to be reached by he has a single second of the second to be the period of the second period second of the second of the period the second period schedules of	- - #1 111 117	Induitable	-	THE SUP-		
ACCEPTION DOES IN A RECENT		C				
namen konse opsisker, primet 1980 Konser opei konsprimet 1980 Konser operas, primet 1980 Kolle dele konser, primet		ALL CHILDREN ALL CHILDREN ALL CHILDREN ALL CHILDREN				
TANK REALES			_			
er et 1984/00 "Novel Grek VI" e Lords 1 sonet sonet, met dissoit son somer sope och mante 15. Hinne for he ort ada vera som		Alt -Second				
INCOMENTS AND A TABLE AT A COMPANY AND A		-				
AMENINAPATIN QUINQU AMENINAPAT QUINQU		MO-ORCE/TH MO-ORECE/E				
gara utaka system		Second Second				
life our solder		Altorezan		1		
nor 10	_	1				
and the ground the states grave the		- ADE IDECIDENT				
narim/anternar		6				
MECC hans, on har brigg (m) of 6 USET handlacks has \$9, Machilerder menn goer have rearm goer have		AU HEXXER AU HEXXER AU HEXXER				
er mechanismi internetistica AMERI packing attend of mails an	NT NT	ALCORDER				
the formation of the second	-	BIN CHEVORI				
		and and and				

The lattering start constraints are stabled for these years many disclosure considerer of how here and so the start of your black group years before a start of the start way to be a 12 for more the superior preserve a starting more than a start	Technologia	
Persilian à 16 million	C 1	
mart rolls for UAAAF roles who fit playse	ANTERNOR	 2
Ted ophison executiv Restation: the solidies precisio Plan Technicy, 1996 if providely the templotus contributions;	MORE	
Molecule (000)	8414003481	

Accessories & BRABUS tuning smart forfour, the prices 2004.



Communication media

Media:PIT - Product Information Tool - selling pointsTarget group:smart dealersDeployment on:Internet

Since January 2003 comprehensive **product information** on the current **smart model range** and **aftersales products** has been available on PIT smart with facts, selling points and advantages.

With PIT we are supporting your sales activities with a smart extranet solution.

Access requirements:


Internet browser e.g. Microsoft Internet Explorer


Link: http://pit.smart.com

User ID: Your personal DMS login (E.g.: "a9904" > a99=Centre, 04=User)

Password: "tridion"

For security reasons the password is changed twice a year. You will be informed of the new password in an info letter.






Communication media

Media: smart.com End customers Target group: Deployment on: Internet - www.smart.com


Since August 2003 our website has contained comprehensive information on smart aftersales products, classified according to smart accessories, smart BRABUS accessories, smartcare and smartware.

In addition to this, all automotive accessories are an integral part of the internet car configurator.

Link: http://www.smart.com



Carconfigurator - Hisrasoft Internet Explorer von anart geäh					
				Fragen? Roseale	mart Carnar
alart Reefigurator (* 3646). (* Dectuarieren (* Reefigurature (* 2606) (* gesteleren	Die room			There's der endenstation	
	TACA	-	8	des Beseichliese El Mastrecyrete	
mart forfour	AL	2	3	tranpous: tratos a telegenesia: lesteres entreg beside:	615.146,09 8 8,09 8 8,08 8 8,08 8 506,08 6 8,09
Al 40 / 100 00 Reserves *	9			Gerentpret/v ¹¹	810.048.08
	n Connen C terret	eren au		D Finanzierungenete: * B abroad tetaran	
Istaclea:				Weiter mit	
C Elaborational for angelse monamerichelado estaliziado ad OMORNO	El Fortacia	3.13	4,82	Possestance	1
F MARTING THE PRACTICE AN AD ADVITED	(Treats)	333	16,00		
E mongriffe blocken personnersbelants erhältelants als (33/1816)			9.80		
<pre>mappin come increaser:idelide eventelide ab 00/0000</pre>	12 Percella	• •	19,81		
F to as	() Venation	•	0.00		
C Deschiedeficierong He maple remnancedefice enhancing at (1/1114)		4 1	9.00		
F Hastedalter	() Imaria	×. 1	11.10		
F Publictie - stavlard	CI Fetatla		1.01		
Falsattes - Allerthur			1K,80		
40.90 84					



Traynet (LHD / RHD) (DFO)

Technology / Design		Customer Benefit			
 Net for the storage the passenger's sid Plastic frame is clip and attached with V 	e ped firmly into the	tray • Small items can slide about	smaller items, near to ha bassenger be placed so they do not plicated assembly	nd	
	Code: J14	Compulsory: no	Exclusions: no	Installation: Inst. Time: WIS No.:	Retailer 22 Minutes AZ68.10-P-0001FF 68-9221
A4548100049 LHD A4548100149 RHD	J14	no	no		

CD-Box (DFO)

Technology / Design		Customer Benefit			
under the telematic systems or in front tunnel by analogy w bracket.	p to 6 CDs. embly in the cockpit is and ventilation of/over the central vith the telephone noved at any time via	 risk of scratching CD-box is not permit can easily be tak i.e. jewel cases do the vehicle. 	anently fitted in the car, en home or to the office, not lie around loose in d design harmonised in		
Part number: A4548100104	Code: I03	Compulsory: no	Exclusions: no	Installation: Inst. Time: WIS No.: ASRA No.:	Retailer 20 Minutes AZ68.20-P-0006FF 68-4852

Bottleholder (DF0)

Technology / Desig	n	Customer Benefit	t		
	n passenger footwell, ont of the central tunr	 Holds almost al the flexible fixi bottle sizes. Ty Material, colour 	nded operation possible. I bottles firmly because of ng concept for different pical smart cleverness. r and design harmonised in ole way with the smart		
Part number:	Code:	Compulsory:	Exclusions:	Installation:	Retailer
A4548100013	I10	no	Luggage Net on	Inst. Time:	24 Minutes
			passenger side	WIS No.:	AZ68.20-P-0008FF
			-164	ASRA No.:	68-4665

Floormats - Allweather (LHD / RHD) (DFO)

Technology / Design		Customer Benefit			
 Best possible fit for for rear seats The floormats have an a on the underside and a screw-in clips. The tough material rep Allweather floormat ma butadiene-rubber (rubber) 	anti-slip structure re also fixed with els dirt and water terial: Styrene-	use.Upgrade the interiorMaterial, colour and	e quickly and easily a long life in constant r visually shape harmonised in y with the smart interior		
Part number: A4546840003 LHD A4546840903 RHD	Code: I33	Compulsory: no	Exclusions: no	Installation: Inst. Time: WIS No.:	Customer
A4340040903 KHD				ASRA No.:	

Floormats - Standard (LHD / RHD) (DFO)

Technology / Design		Customer Benefit			
on the underside an screw-in clips.	an anti-slip structure d are also fixed with repels dirt and water.	 Protects the standard carpet. The floormats are quick and easy to clean. Look good and have a long life in constant use. Material, colour and shape harmonised in the best possible way with the smart interior Available as a set (2 x front, 2 x rear). 			
Part number: A4546840103 LHD A4546841003 RHD	Code: I40	Compulsory: no	Exclusions: No	Installation: Inst. Time: WIS No.: ASRA No.:	Customer

Floormats - Velour (LHD / RHD) (DFO)

Technology / Design		Customer Benefit			
 The best possible fit for the footwell of front and rear seats The floormats have an anti-slip structure on the underside and are also fixed with screw-in clips. The tough material repels dirt and water. Floormat material - velours: PP velour Protects the standard carpet. The floormats can be quickly and easily cleaned. Look good incl. smart logo and have a lou life in constant use. Upgrade the interior visually Material, colour and shape harmonised i the best possible way with the smart interior. Available as a set (2 x front, 2 x rear). 		be quickly and easily art logo and have a long e. ior visually nd shape harmonised in way with the smart interior			
Part number: A4546840203 LHD A4546841103 RHD	Code: I11	Compulsory: no	Exclusions: no	Installation: Inst. Time: WIS No.: ASRA No.:	Customer

Luggage Fastener (DF0)

Technology / Desig	Technology / Design		t		
with Velcro strip	 Tubular-shaped foam-filled nylon strap with Velcro strip to fasten it to the luggage compartment floor. Part number: 		 Fixing objects in the luggage compartment Luggage remains in position even when braking and accelerating Simple to handle because of flexible design Compulsory: Exclusions: 		
Part number: A0008140035	Code: I30	Compulsory: no	Exclusions: No	Installation: Inst. Time: WIS No.: ASRA No.:	Customer

Luggage Net on passenger side (DFO)

Technology / Desig	n	Customer Benefit				
 Luggage net on th passenger footwe Fitted via carpet s 	e inside of the II	handbags, purs	not get thrown around the			
Part number: A4548100249	Code: I64	Compulsory: no	Exclusions: Bottleholder -I10	Installation: Inst. Time: WIS No.: ASRA No.:	Retailer 16 Minutes AZ68.50-P-0005FF 68-7510	

Luggage Net in Luggage Compartment (DFO)

Technology / Desig	n	Customer Benefit	t		
	e for fitting on the insid ing/luggage compartmen t screws.	t such as gloves,	such as gloves, ice-scraper, bags etc, etc.Loose items do not slip about in the luggage		
Part number: A4548140007	Code: 165	Compulsory: no	Exclusions: no	Installation: Inst. Time: WIS No.: ASRA No.:	Retailer 17 Minutes AZ68.50-P-0003FF 68-7478

Multifunction box (DF0)

Technology / Desigr	1	Customer Benefit			
 insulating materia Two boxes will fit i compartment at th slipping. Cover prevents ite around. Indentation in the 	Cover prevents items being thrown in the best posible way with the smart		nterial for stowing e.g. hoping, but also for dirty c. r, fit and design harmonised		
Part number: A4548100004	Code: I54	Compulsory: No	Exclusions: no	Installation: Inst. Time: WIS No.: ASRA No.:	Customer

Twinface armrest (DFO/FFO)

Technology / Desig	n	Customer Benefit			
 Flexible central all carcass behind th Can be swivelled a installation by small 	round two axes,	 for driver, pass passengers. Can be rotated as armrest b) as front seat pass Can be swivelled 	d backwards where it can a cup-holder for the rear-		
Part number:	Code:	Compulsory:	Exclusions:	Installation:	Retailer
A4546800019	A4546800019 I99		comfort package or single option	Inst. Time: WIS No.:	38 Minutes AZ68.20-P-0012FF
			twinface armrest -(P12/10Y)	ASRA No.:	68-6051

Luggage Compartment Tub (DFO)

Technology / Desig	n	Customer Benefit	t		
 Durable and high compartment tub Attached in lugga Velcro. 		 Protects the luggage compartment carpet from being dirtied e.g. by wet/dirty shoes. The non-slip surface of the luggage compartment tray prevents the items in the luggage compartment sliding around. 			
Part number: A0008140135	Code: I46	Compulsory: no	Exclusions: no	Installation: Inst. Time: WIS No.: ASRA No.:	Customer

snapfix front and rear (DF0)

Technology / Design		Customer Benefit			
 concept - snapfix. Basic module (snapfix) ca fitted quickly and easily front seat/rear seat bac Fixed using head restra 	 Basic module (snapfix) can be fitted quickly and easily on the front seat/rear seat backrests Fixed using head restraint Strong plastic component The range of attachments extends from detachable coathangers via a quickly attached through-load fixing device (e.g. for skis, snowboard or other long items) to the intelligent bag with integrated fold-outable. Both the basic and attachment modules have been specially designed and developed by smart and the therefore satisfy the highest demands with regard to quality and design. The uncomplicated fixing mechanism means that the attachment modules can be fitted, exchanged and removed at any time. 				
Part number:	Code:	Compulsory:	Exclusions:	Installation:	Customer
A4548140051 front	S29	No	No	Inst. Time:	
A4548140251 rear	S30			WIS No.:	
				ASRA No.:	

seat bag for snapfix (DF0)

Technology / Desig	n	Customer Benefit			
snapfix.Bag with snapfix c	basic snapfix module	 basic snapfix modu Fold-out table integ Can do everything: suitable for everyce for the children's t travelling the toys bag but in reach an with them on the fold Specially designed smart forfour. Ther highest demands wi design. The uncomplicated 	ch can be clipped into the le grated into the bag. As a designer briefcase lay use or as a container oys: Whilst you are are cleared away in the d the children can play d-out table at any time and developed for the refore satisfies the th regard to quality and fixing mechanism means t modules can be fitted,		
Part number:			Exclusions:	Installation:	Customer
A4548140151			No	Inst. Time:	
				WIS No.:	
				ASRA No.:	

Coathanger for snapfix (DF0)

Technology / Design		Customer Benefit			
 Innovative and modular fixing concept - snapfix. Coathanger with snapfix clip-in mechanism. Can be fitted on the basic snapfix modules for the front or rear. 		 Coathanger for snapfix Coathanger clips in quickly Coats, blazers, jackets are hung up without creasing whilst the customer is travelling Specially designed and developed for the smart forfour. Therefore satisfies the highest demands with regard to quality and design. The uncomplicated fixing mechanism means that the attachment modules can be fitted, exchanged and removed at any time . 			
Part number:Code:A0008101003J15		Compulsory: snapfix front or snapfix rear +(S29/S30)	Exclusions: no	Installation: Inst. Time: WIS No.: ASRA No.:	Customer

cargo fixation for snapfix (DF0)

Technology / Design	1	Customer Benefit			
 Innovative and modular fixing concept - snapfix. Possibility of fixing relatively long objects with the rear seat and passenger seat folded down. Cargo being transported is strapped down. It is necessary to fix the cargo the the basic snapfix modules in the front and rear. 		 to snapfix front and To fix long objects we passenger seat fold snowboard) Specially designed a smart forfour. There highest demands wit design. The uncomplicated for the statement of the sta	s with strapping, fixed rear. with the rear seat and ed down (e.g. skis, and developed for the efore satisfies the h regard to quality and ixing mechanism means modules can be fitted,		
Part number:	er: Code: Compulsory: Exclusions:		Installation:	Customer	
A4548140040	J16	snapfix front and no		Inst. Time:	
				WIS No.:	
		+\$29 +\$30		ASRA No.:	

Lounge cushion (DF0)

Technology / Design	Cechnology / Design Customer Benefit				
 High quality set of custocolour to match interior Covers the same materic covers. Cover with zip fastenior 	or. rial as the seat	 Upgrades the ir Increases passiquality, comfort 	enger comfort with high		
Part number: A0009700590 black A0009700490 grey A0009700390 red A0009700290 blue A0009700190 leather	Code: J17	Compulsory : No	Exclusions: no	Installation: Inst. Time: WIS No.: ASRA No.:	Customer

Seat Drawer - Basic Kit (Drawer) (DFO)

Technology / Desig	ı	Customer Benefit			
 Drawer under the the rear 	 Drawer under the front seat, pulls open to the rear Small items can be stowed away safely, easy to find and not visible from outside. Easy one-handed operation for rear passengers. Practical form of storage, protected from light. Items do not roll round the interior whilst the vehicle is in motion. Expansion of storage facilities Drawer and contents housed out of sight in the vehicle. 				
Part number: A4548100068	Code: J25	Compulsory: Mounting Kit Left or Mounting Kit Right +(J22/J23)	Exclusions: No	Installation: Inst. Time: WIS No.: ASRA No.:	Retailer Estimation compl. Seat Drawer 30-45 Minutes

Seat Drawer - Mounting Kit (Left / Right) (DFO)

Technology / Design		Customer Benefit	1		
 Fixing for seat drawa seat 	er under left front	See seat drawer	r – basic kit		
Part number: A4548140004 left A4548140104 right	Code: J22 left J23 right	Compulsory: J25	Exclusions: Subwoofer (part of Sound Package) -C22	Installation: Inst. Time: WIS No.: ASRA No.:	Retailer

Sunshield for rear passenger windows (DF0)

Technology / Desig	In	Customer Benefit			
fixing hook) for respectable develop	into door frame (using ear side windows, oed and designed for the tractively shaped)	 Increase in passenger comfort because less light enters the rear area as the side windows are fully covered. Protection from view and from the sun for rear seats. Ideal provision of shade for children and adults seated in the rear of the car. Can be clipped in and unclipped at any time. Can be used with rear door windows open or closed. 			
Part number: A4548100220	Code: J24	Compulsory: No	Exclusions: no	Installation: Inst. Time: WIS No.: ASRA No.:	Customer

Leather gear shift knob (DF0/FF0)

Technology / Design		Customer Benefit	t		
	tractive appearance because of is natura earshift knob is	I quality natural	des vehicle interior. High material. Material and y harmonised with the smart forfour.		
Part number:	Code:	Compulsory:	Exclusions:	Installation:	Retailer
A4542601140 CF2A	162	No	Leather Package or	Inst. Time:	16 Minutes
			Sport Package or	WIS No.:	AZ26.60-P-0001FF
			softouch plus -(P14/P13/V11)	ASRA No.:	open

Basic Rack (DFO)

Technology / Desig	n	Customer Benefit			
the vehicle roof.Strong but lightweet	lly developed and	 Basic roof rack – the reliable base for various carrier modules (cycle carrier, ski and snowboard carrier, roof box) Theft-proof because structures mounted on it can be locked to to basic rack using the basic rack locking mechanism. Non-rusting and easy-care. 			
Part number: A4548500003	Code: E14	Compulsory: No	Exclusions: no	Installation: Inst. Time: WIS No.: ASRA No.:	Customer

Bicycle Rack (DFO)

Technology / Desig	n	Customer Benefit	t		
 Quick and easy to the basic rack. Strong but lightwe structure, specia designed for the structure 	lly developed and	 roof. Quick and easy to fit on and remove from the basic carrier, up to 2 cycles can be carried. Theft-proof, non-rusting and easy-care. 			
Part number: A4548400018	Code: E15	Compulsory: Basic Rack +E14	Exclusions: no	Installation: Inst. Time: WIS No.: ASRA No.:	Customer

Ski- & Snowboardrack (DFO)

Technology / Desig	In	Customer Benefit			
 Quick and easy to the basic rack. Strong but lightwork 	fit on and remove from eight aluminium Illy developed and	snowboards saf of the bindings	ng up to 4 pairs of skis or Fely (depending on the heig n-rusting and easy-care.	ght	
Part number: A4548400118	Code: E16	Compulsory: Basic Rack +E14	Exclusions: no	Installation: Inst. Time: WIS No.: ASRA No.:	Customer

Storage Box on Roof (DFO)

Technology / Desig	n	Customer Benefit			
 Quick and easy to the basic carrier. Strong but lightwe structure, specia designed for the (attractively shap) 	eight ABS-plastic Ily developed and smart forfour	 Ideal for holidays with the whole family or an active sports weekend. Max. 35kg load. capacity approx. 310 ltr, external dimensions LxWxH: 135x80x39 cm. Opens on both sides. Theft-proof, non-rusting and easy-care. 		n	
Part number: A4548400074	Code: E54	Compulsory: Basic Rack +E14	Exclusions: no	Installation: Inst. Time: WIS No.: ASRA No.:	Customer

Light-Alloy-Wheel 15" - 'cruiseline' for tyres 195/50R15 (DFO/FFO)

Technology / Design	1	Customer Benefi	t		
 Alloy wheel, dimensity tyre size 195/50R15 Excluding tyres. 	sions 6J x 15 ET46 for 5.	 vehicle and up High-strength structure, spece 	vehicle and upgrading it visually.		
Part number: A4544010001	Code: R41	Compulsory : No	Exclusions: no	Installation: Inst. Time: WIS No.: ASRA No.:	Retailer Estimation for compl. installation 60 Minutes

Light-Alloy-Wheel 15" - 'strokeline' for tyres 195/50R15 (DFO/FFO)

Technology / Design		Customer Benefit			
 Alloy wheels, dimension tyre size 195/50R15. Excluding tyres. 	s 6J x 15 ET46 for	 Elegant alloy wheels for individualising the vehicle and upgrading it visually. High-strength but lightweight aluminium structure, specially developed and designed for the smart forfour. 			
Part number:	Code:	Compulsory:	Exclusions:	Installation:	Retailer
A4544010401	R40	No	no	Inst. Time: WIS No.:	Estimation for compl. installation 60 Minutes
				ASRA No.:	

Light-Alloy-Wheel 16" - 'strokeline' for tyres 205/45R16 (DFO/FFO)

Technology / Design	า	Customer Benefit	t		
 Alloy wheels, dimention tyre size 205/45R1 Excluding tyres. 	nsions 6.5J x 16 ET46 f 6.	 vehicle and upg High-strength b structure, spece 	heels for individualising t grading it visually. but lightweight aluminium cially developed and he smart forfour.		
Part number: A4544010101	Code: R42	Compulsory: No	Exclusions: no	Installation: Inst. Time: WIS No.: ASRA No.:	Retailer Estimation for compl. installation 60 Minutes

Snow Chain 14" (DFO)

Technology / Design		Customer Benefit			
 The snow chains are designed for assembly without jack on tyre type 175/65 R14. Low material wear, optimised noise characteristics. 		 Set of 2 snow chains in a waterproof carrying bag for tyre size 175/65 R14. Better traction and safer driving on snow. Quick and easy to fit and remove without jack. The snow chains can be stowed in the luggage compartment in a stable, waterproof carrying bag which is supplied with them. 			
Part number: A0015831716	Code: R44	Compulsory: 14" Wheels	Exclusions: all wheels without 14" dimension	Installation: Inst. Time: WIS No.: ASRA No.:	Customer

Function & Telematics

Stationary Heating (Petrol / Diesel) (DFO)

Technology / Design		Customer Benefit			
 The smart stationary heating is supplied with the Telestart T80 remote control as standard which permits convenient operation from a distance of up to 600 m. The stationary heating, type 'Thermo Top C' heats the vehicle's own coolant circuit independently of the engine. The heat is routed directly into the interior of the car whilst simultaneously pre-heating 		 Never freeze again – a warm interior right from the start, no cold seats and operating elements. I.e. maximum comfort. Windows always clear – The windows are defrosted when you get in the car – misting up and re-icing over are prevented effectively. Save valuable time – Stationary heating saves the nuisance of scraping. Get into a pleasantly warm car every day. 			
 the engine. This not only ensures a pleasant temperature in the vehicle but also defrosts iced-over windows and protects the engine. The stationary heating system is perfectly harmonised with the needs of the smart customer and the size of the smart forfour. 		 Maximum convenience of operation – Regardless of the demands you make – the smart stationary heating convinces with its ease of operation by remote control. Relieve pressure on the engine and the environment – a preheated engine uses less fuel and produces up to 			
 Heater output 5.2 kW, max. duration of heating 60 min. adjustable via Telestart, fuel consumption approx. 0.5kg/h. 		phase. Wear on the engine is also reduced significantly.			
		 More safety – the smart stationary heating ensures a clear view and relaxed driving right from the start – thus ensuring faster ability to react. 			
Part number: Code:	Comp	oulsory:	Exclusions:	Installation:	Retailer
A4548300361 Gasoline 160	no		No	Inst. Time:	326 Minutes
A4548300261 Diesel				WIS No.:	AZ83.70-P-0001FF
				ASRA No.:	83-6153

Telephone Console (DFO)

Technology / Desig	n	Customer Benefit			
 time without tools Quick and easy to the telematics and 	- can be adjusted at any fit in the cockpit under I ventilation system or in central tunnel, as for the	 Adjustable, thus avoiding reflected light on the display. 			
Part number: A4548201835	Code: C10	Compulsory: no	Exclusions: No	Installation: Inst. Time: WIS No.: ASRA No.:	Retailer 20 Minutes AZ82.70-P-0010FF 82-8872

Cradles for UHI - FFO Phone Preparation (DFO)

Technology / Design		Customer Benefit			
 Mounting for mobile phone. Fits e preparation for telephone which of fitted on the telephone console w adapter and can be changed quick easily at any time. (Plug & Play) 	can be ith an	5	nobile phone does not go on s whilst the vehicle is in		
Part number: A4548201535 Nokia (62, 63 series) A4548201635 Siemens (45 series) A4548201735 Siemens (55 series) A4548201435 Motorola (V60i)	Code: C43 C44 C45 C42	Compulsory: UHI (FFO) and 454-Telephone Console +C27 +C10	Exclusions: no	Installation: Inst. Time: WIS No.: ASRA No.:	Customer

Handsfree Kit (universal) - Basic Kit (DFO)

Technology / Design	Customer Benefit			
 The handsfree kit (universal) consists of the Basic Kit, a vehicle-specific fitting kit, a radio-specific set of leads (either smart radio five or smart radio six) and one of the various mountings for mobile phones (cradles). Electronics box for handsfree kit (universal). Fixing under right hand front seat. Universal adapter for different telephone cradles Microphone 	it, talking to yourself and legalises rt telephoning at the wheel. If you are listening to music it also disables your audio system so that you can give the person you are talking to your full attention. The telephone bracket provided takes a large number of current cradles which are available in your smart Center for current			
A4548202035 C30	Compulsory: (radio five with HK-harness for radio five) or (radio six with HK-harness for radio six) and HK-Mounting Kit and 454-Telephone Console +((C28+C40)/(C25+C41)) +C46+C10	Exclusions: UHI -C27	Installation: Inst. Time: WIS No.: ASRA No.:	Retailer Compl. Installation: 58 Minutes AZ82.61-P-7405FF 82-9250

Cradles for Handsfree Kit (DFO)

Technology / Design		Customer Benefit			
 Mounting for mobile phones to fit handfree kit (universal) which is fi the telephone bracket with a universal adapter and can be quickly and ea changed at any time. (Plug & Play) 	tted on ersal				
Part number:	Code:	Compulsory:	Exclusions:	Installation:	Customer
A4548200935 Nokia (62, 63 series)	C32	Handsfree Kit	No	Inst. Time:	
A4548201235 Siemens (35 series)	C34	(universal) - Basic Kit		WIS No.:	
A4548201135 Siemens (45 series)	C35	+C30		ASRA No.:	
A4548201335 Siemens (55 series)	C39				
A4548201035 Motorola (V60)	C33				

Handsfree Kit - Harness for smart radio five / six (DFO)

Technology / Design		Customer Benefit			
 Wiring harness to conn- kit (universal) to the sm smart radio six 		the handsfree ki	or the connection between t (universal) - basic kit and ive or smart radio six		
Part number: A4545409105 radio five A4545409005 radio six	Code: C40 C41	Compulsory: no	Exclusions: No	Installation: Inst. Time: WIS No.: ASRA No.:	Retailer see also Handsfree Kit

Handsfree Kit - Mounting Kit 454 (DFO)

Technology / Desig	n	Customer Benefit	:		
 Mounting material handsfree kit (unit Aerial Wiring harness for phone and electro 	versal) ⁻ mounting of mobile		e for mounting the universal) basic kit under the It seat.		
Part number: A4548201935	Code: C46	Compulsory: no	Exclusions: No	Installation: Inst. Time: WIS No.: ASRA No.:	Retailer see also Handsfree Kit

smart radio five (DFO/FFO)

Technology / Design		Customer Benefi	it		
 Radio with CD-player, wa KW/LW each with 5 station search, RDS AUTO-Best, B traffic radio, AutoStore output, speed-depender functions: bass, treble, b CD-drive for audio-CDs w functions: scan-search, skip forwards/backwards radio speaker, handsfre connected. Electronic th Installation in 1-DIN shaf with preparation for rad 	n presets, scan- EON- and background function, 4x20 Watt nt volume control, tone balance and fader. with the following random play, repeat, ls. Telephone sound via ee kit (universal) can be heft protection. ft only in combination		display.		
Part number:	Code:	Compulsory:	Exclusions:	Installation:	Retailer
A4548200036	C28	Radio	smart radio six or	Inst. Time:	31 Minutes
		preparation	smart navigator or	WIS No.:	AZ82.60-P-0003F
		+C08	smart navigator	ASRA No.:	82-7660
			multimedia		
			-(C25/C29/C26)		

Fire Extinguisher (DFO/FFO)

Technology / Design		Customer Benefit			
 The fire extinguisher which has a weight when full of 1 kg is fitted under the passenger seat and can be released from the mounting with one hand. The filling is sufficient to put out smaller vehicle fires. 		 Effective extinguishing of vehicle fires. Extinguishing of fires in areas outside the vehicle. Simple, reliable handling, targeting and metered extinguishing of the seat of the fire. Fixed within the driver's reach, low weight, can be removed from mounting with one hand 			
Part number: A0008605380 (B) A0008605480 (CH) A0008605580 (D) A0008605680 (E) A0008605780 (GB) A0008605880 (NL)	Code: H21	Compulsory: no	Exclusions: no	Installation: Inst. Time: WIS No.: ASRA No.:	Retailer 20 Minutes AZ86.10-P-0001FF 86-7000

First Aid Kit (DFO)

Technology / Desig	jn	Customer Benefit	t		
	cro fastening.	 Easy to open first aid kit, the contents are arranged clearly for direct, fast access. Non-slip mounting for first aid kit using a velcro strip which can therefore be used to stop small items sliding about in the luggage compartment. 		0	
Part number: A0008601250	Code: H12	Compulsory: no	Exclusions: no	Installation: Inst. Time: WIS No.: ASRA No.:	Customer

Reflective Vest (DF0)

Technology / Desig	n	Customer Benefit			
	olying with DIN EN471 in with reflectors on ches	 for user in an e Integrated refleearly detection Can be folded d stored safely in 	ective strips guarantee in the dark. own to a compact size, a bag. ne regulations for using car		
Part number: A0005830161	Code: H16	Compulsory: no	Exclusions: no	Installation: Inst. Time: WIS No.: ASRA No.:	Customer

Baby Seat (Group 0+, up to 13kg) (DFO)

Technology / Design		Customer Benefit			
 Fixing via 3-point belt or or all rear seats. Use on passenger seat of with deactivation of airb airbag must be switched key-operated switch. If using child restraint s passenger seat, the sea furthest back position. Positioning: always facin passenger seat only with off. On all rear seats, op direction of travel with t belt. 	only in combination ag -> passenger off/disabled with systems on the t should be in the g backwards, on n airbag switched oposite to the car 3-point	 0+: from newborn to Considerable safety side and rear impact Kind to skin, removal seat covering (30°C), (orange-patterned, g Low intrinsic weight Easy to fit via 3 poin instructions in the r on this matter). The guarantees safe and Tested and approvenence ECE R44-03 Tested 06/2001 by AE other international or received 'recommence 	ble and washable cotton available in 3 designs grey or beige-grey). t belt (comply with the elevant owner's manual belt fastening firm insttallation. d in accordance with DAC, ÖAMTC, TCS and 11 car associations, ded' award.		
Part number:	Code:	Compulsory:	Exclusions:	Installation:	Customer
A0009200921	S05	no	no	Inst. Time:	
CN7A - orange patterned				WIS No.:	
CN8A - grey				ASRA No.:	
CN9A - beige-grey					

Child Seat (Group 1, 9-18kg) (DFO)

Technology / Design		Customer Benefit			
 Fixed to the outer seats with ISOFIX (special authors as an optional extra extra extra point belt(universal approximate) Advantages of ISOFIX at a 1. standardised fixing for free installation and rem 2. safe, firm connection be and vehicle and vehicle optimised protective extra extra	orisation, available vorks or with a 3- roval). a glance: r simple, fault- noval between child seat effect in an eat is also fixed in ystems on the t should be in the	 4 years Kind to skin, removal covering, available in checked or black+or Best possible side im point belt system wit adjustment, 7 position belts, additional heat Tested and approved ECE R44-03 Test 06/2003 by Stift ÖAMTC and other interest 	Ind 18 kg or 9 months to oble and washable seat in 2 designs (black- ange). Inpact protection, 5 in central belt length on adjustable shoulder d pad. d in accordance with ung Warentest, ADAC, ernational car ed the award 'good' won		
Part number:	Code:	Compulsory:	Exclusions:	Installation:	Customer
A0009201021	S06	no	No	Inst. Time:	
CN5A - black-checked				WIS No.:	
CN6A - black-orange				ASRA No.:	

Child Seat Booster with Backrest (Group 2+3, 15-36kg) (DFO)

Technology / Design		Customer Benefit			
 Fixed via 3-point belt to passenger seat or rear seats. Retaining strap on the back of the seat booster which is fixed to head restraint. This reduces forward movement in a crash and secures the unoccupied child seat in the vehicle. Seat back can be removed for transportation. If using child restraint systems on the passenger seat, the seat should be in the furthest back position . 		 Storchenmühle 'My Seat XL', group 2 + 3: 15-36kg, 4- 12 years Kind to skin, removable and washable seat covering, 			
Part number:	Code:	Compulsory:	Exclusions:	Installation:	Customer
A0009201121	S07	no	No	Inst. Time:	
CP2A - anthracite-orange				WIS No.:	
CN9A - beige-grey				ASRA No.:	
CPOA - grey-patterned					

Anti-Theft Protection for Alloy Wheels (DFO)

Technology / Design		Customer Benefit				
 Anti-theft protection for the alloy and steel wheels of the smart forfour. One locking bolt per wheel. Computer-generated coding and specially coded wrench offer maximum protection. 		 Greater anti-theft protection for your wheels, even if brute force is used Fulfils country-specific insurance requirements (Thatcham-approved) Hardened steel for maximum safety and maximum resistance. 				
Part number:	Code:	Compulsory:	Exclusions:	Installation:	Customer	
A0009908552	R13	No	no	Inst. Time: WIS No.:		
				ASRA No.:		

Toolkit (DF0/FF0)

Technology / Design		Customer Benefit				
 Car jack and wheel nut wrench especially for the smart forfour Stowed under the luggage compartment carpet. 		 For changing a wheel in an emergency or changing summer/winter wheels. Toolkit consisting of wrench and car jack. 				
Part number: A4545800118	Code: H20	Compulsory: No	Exclusions: no	Installation: Inst. Time: WIS No.: ASRA No.:	Customer	

Alarm System (DFO/FFO)

Technology / Design		Customer Benefit			
 Monitoring of interior via movement alarm Door sensors (all doors, hatchback and bonnet) Towing away detection via tilt sensor Enabled/disabled via remote control on vehicle key Alarm signal: Periodic flashing of hazard warning lights plus rising and falling siren. 		 Anti-theft alarm system with interior monitoring and protection from towing away. Optimum protection from unauthorised or forced entry into the vehicle interior. In addition to all market requirements, also fulfils the requirements of Benelux countries, UK, South Africa. User –friendly enabling and disabling Visual and acoustic warning signal. 			
Part number: A4548201326	Code: V40	Compulsory: no	Exclusions: no	Installation: Inst. Time: WIS No.: ASRA No.:	Retailer 210 Minutes AZ80.50-P-0001FF 82-8501