Created from the original manual for www.forfour.co.uk

>> Driving pleasure guaranteed.

guaranteed.

Whatever smart forfour model you decide on, you won't be disappointed. After all, driving pleasure is a standard feature of the smart forfour. Weighing in at under 1,000 kg, the smart forfour boasts a power/weight ratio which guarantees lively acceleration performance 9.0 kg per bhp. In addition, the smart forfour is equipped with an extremely agile chassis and thanks to its wide and sporty track width, the smart forfour holds the road extremely well, even when taking fast bends. The firm spring and shock absorber settings respond directly to the driver's actions. So even when the road conditions are less than perfect, the smart forfour has plenty of comfort in reserve, ensuring driving pleasure is not compromised.











Accessories.

8.7. The child seat Allows even the smallest smart fans to travel in safety. For children weighing from 9 to 18 kg. Optimum support and excellent seated confort, especially for the back. Easy to mount thanks to ISOFIX* (optimal item) and the adjustable shoulder belt. ■ 6. The bottle holder Makes sure that refreshment is always at hand. Can be adjusted to hold virtually any size of hottle. ■ 6. martcare car care products. If the besut for your smart forfour. Available as individual products or in practical care boxes. Exterior care, interior care, fluids, care boxes and paint sticks.

BRABUS accessories.

If you want to take a sporty car and make it an authentic sports star, you need look no further than BRABUS. As one of the leading tuning specialists, BRABUS has what it takes to turn your smart forfour from individual to unique—exclusive styling, elegantly sporty equipment and much more besides.



Three lively petrol engines.

Three Lively petrol engines.

Fans of petral engines are spoilt for choice with the smart forfour which offers a choice of three engines. All of which are based on the highest technology standards: The 3-cylinder engine with 75 bhy (55 kW) and a capacity of 1.1 litree and two 4-cylinder engines with 55 bhy (75 kW) and to 10 bhy (80 kW) and a capacity of 1.3 litree or 1.5 litrees respectively. Unlike the smart forfour are transversally mounted in the front of the car. These engines are high in torque and low on fost consumption.

Brission levels are also low, meaning that the petrol engines conform to the stringent requirements of exhaust gas standard EU4.



Thanks to state-of-the-art cdi technology, both 3-cylinder diesel engines de blug fox 80 and 95 bbg fox 80 and 95 sbg fox 95 95 sbg fox

Two economical cdi engines.



Manual 5-speed transmission and 6-speed softouch plus.

Hanual 5-speed transmission and o-speed softouch puss.

The samt forforing pales and the samt forfour passion cone with a samual 5-speed transmission as transfer confort, you can up for softouch plus—the automated e-speed transmission with kickows and crand-fauction. The gear ratio and shift points have been designed to respond perfectly to varying divising characteristics—automatic or manual the choice is pours. With softouch plus, your left foot can take a rest because all the clutch work.

it allows the driver to take full advantage of safe overtaking opportunities. If you are stuck in traffic and are only able to drive at walking pace, you can use the aptly named "cread function" to creep along in gear without having to touch the accelerator at all. This function is activated when the vehicle is attationary and is also useful when parking and reversing.



>> Safe as houses in the smart forfour.

In the smart forfour you can enjoy an all-round sense of security. After all, the complex safety system sets new standards in quality. The all-round passive safety offered by the tridion safety cell, the collapsible steering column, full-size airbags, side airbags and the three-point belt systems ensure maximum protection should the needed. The smart maximum protection should it be needed. The smart forfour is also equipped with an innovative active damage prevention system. The electronic stability programme (esp®) will swiftly intervene if its sensors detect that the driver is losing control of the car. For example if the rear end threatens to break away, the car understeers, a wheel spins or loses contact with the road. \exp^{\oplus} immediately reduces the engine torque and selectively brakes individual wheels to stabilise and selectively brakes individual wheels to stabilise the car. The hydraulic brake assist function also makes a decisive contribution to driving safety. The esp® sensors can detect when you're attempting to make an emergency stop and apply maximum braking effort to bring the vehicle to a halt quickly, even if you haven't pressed the pedal hard enough. The anti-lock braking system (abs) with electronic brake-force distribution also enables you to steer around obstacles, even during heavy braking.











Safety Features.

All seats have a three-point seat belt system and headrests.

It is not trained in impact the belt tensioner will reduce sury lack in just a few milliseconds. It is a serious collision the airbags are triggered and inflate to form of the protective system in a matter of milliseconds. The belt force limiter carefully releases more belt before belt force limiter carefully releases more belt before.



The tridion safety cell.

Sturdy, rigid and tough. The new, improved tridion safety cell is the steel heart of the amart forfour. Solid sill sections ensure the necessary high degree

10 > 11

>> Colours and Models.

Spoilt for choice. The tridion safety cell for the smart forfour comes in 3 different colours; silver, black and titanium. For the bodypanels, you have a choice of 10 colours. The smart two-colour concept with tridion safety cell and bodypanels

jack black

means all in all, a total of 30 different combinations to suit your own personal tast All you have to do is choose..

The smart forfour pulse.

The tridion safety cell comes in black as standard, but is also available as an option in silver and titanium.



phat red



graphite blue '



ice white



The smart forfour passion.

This model leaves the factory with a silver tridion safety cell, a titanium or black tridion is optionally available.

















¹ Not compatible with stretch blue seat cushions: ⁵ Not compatible with brick grey seat cushions.

odypanels.





$>\!\!>$ Standard equipment for the smart for four pulse.

when you open the door and get behind the wheel of the smart forfour pulse for the first time, pay particular attention to the details. You'll feel the quality workmanship in everything you touch, and discover lots of practical functions. A classy mix of materials lends the interior its unique look. The seats in the smart



■ 1. The smart forfour pulse: Decide for yournelf which engine you want to power your amart forfour pulse. Choose between three lively petrol miglions and two responsive diesel engines. ■ 2. Steel wheels: With wheel time available for 175/65 R 14 and 187/50 R 15 tyres (depending on type

of engine selected). #3. The radiator grillo: For the smart for four pulse, this comes in a discreet elegant black. #4. The door mirror: Is also in black, with an integrated turn indicator. #5. The four rear lights A set of three rear lights for sending crystal-clear signals to other drivers on the

road. \blacksquare 6.3-spoke steering wheel; And well visible behind it the clearly designed speedometer and rev counter.



>> Standard equipment for the smart forfour passion.

Opting for the smart forfour passion is a clear indication that you are someone who enjoys the finer things in life and has an eye for exclusive equipment. Rest assured that the passion will be very much to your taste. A leather gearshift know and 3-spoke leather steering wheel are standard features in the smart forfour passion. The seats are available in a choice of brick red, brick grey, stretch



passion. #3. Front fog lights: Thanks to their extra-low positioning, they will not dazzle you or other drivers. #4. The air conditioning with automatic temperature control: Keeps you and your passengers cool when the temperature control: Keeps you and your passengers cool when the temperature intense. A micro-filter ensures that dust, pollen and truy particles are kept at lowy. #5.66. The radiator grille and door mirror: With turn indicator come in



>> Standard equipment for both equipment lines.

1. The multifunctional insert: One of many practical ideas to be found in the smart forfour. A safe place for storing pens, keys and all the other bits and pieces which tood to get lost. ## 2. The storage compartment: the sporty character of the smart forfour. ## 5. The keyr Controls the central for a central forfour. ## 5. The keyr Controls the central forfour. ## 5. The ke

*stretch blue is only available for the smart forfour passion





The variable rear bench.

to the beach, to the gym, to the shops: Despite its compact dimensions, its smart forfour can hold far more than you might think at first glance, impending on whether you need extra stowage space for luggage or if your roar sead passengers want to stretch their long leng, you can move the rear beach forwards to had your requirements. In doing

no, you have up to 15 cms of extra room at your disposal. Depending on the position of the rear seat bench, the capacity of the lauguage compartment ranges from 266 to 330 litters. If you go one stop further and fold up the seat bench behind the front seats, you'll have no less than 910 littes of space for all your transporting needs. If you do not need quite so succh

space, then simply fold down the backrests of the rear seats individually. The rear bench is also available with three seats. This extra seat is equipped with abeadrest and attree-point both system, just like the other two rear seats. As well as this, you can opt for a central armrest, which is integrated into the backrest.



>> Optional equipment.

Let a little more light into your life. Light not only provides essential Vitamin D but is also the key to keeping your spirits up. The panoramic glass roof, which is available as an option, allows you to drive under the open sky. The roof is tinted and features a roller sun-blind located on the inside of the car. (this can be adjusted into any position you want). And if front and rear passengers require

different degrees of sun protection? No problem, the sun-blind is divided into two parts – an innovative solution which keeps everyone happy. The panoramic glass roof with sun protection is a standard feature in the smart forfour passion and is available as an option in the smart forfour pulse. If you want to let in an extra breath of fresh air too, the electric glass sunroof can be ordered for both models.

















*I. The 8-apoke "cruiseline" alloy wheels: Measuring 6 x 15 and for 1876 B 15 tyres — ensure that you travel in style. *2. The rear window biled fromects you and your passengers from the sun's rays as well as map pring eyes. *3. The deabhord instruments: Provide information reserving time and engine temperature. Both are freestanding, rotatable and no read easily from all angles. *4. The autifunctional steering wheel Allows the radio, CD player, mobile telephone and navigation

functions to be used without the driver having to take their hands from the wheel. An integral part of this system is the trip computer with its display field located on the rev counter dial. #5. The smart radio six: Comprises a radio, a CD player, 4 speakers and a telephone keypad.

#6. smart radio multimedia navigator: Ofters all the functions of the smart radio six. in addition to a 6.5 inck colour displays as well as a DVD navigation system with map display. The DVD player can also be used for

CDs. An integrated WAP browser permits mobile internet access via the smart portal. #7. BRABUS 17" "Monoblock VI" alloy wheels: You'll be streets ahead with these alloy wheels including alumnium hab caps sporting the BRABUS logo. I meanisses: front 7 x 17", 205/40 x 17 and rear 2 x x x x", 225/15 x 17. #8. The SRABUS sports rear muffler; With two chrome-plated tall pipes for the 109 hip engine version, sounds every bit as sporty and powerful as it looks.



The lounge concept.

Sometimes rear seat passengers feel like second class passengers. With the smart forfour, we've changed all this. Thanks to the intelligent lounge seats at the front, those on the rear bench will have no cause for complaint. If you've parked your smart forfour seets can be folded forward at a stroke. Meaning that rear seat passengers can ait back and put their feet up. The seet backrests are continued harmoniously in the door trim, you can lie be and make yourself really confortable. Even if there are two of you ...





The twinface armrest.

pus night as well get used to a question which will be asked again and again "Who gets to use the twinface armsets to safety". This intelligently designed armsets can be adjusted so that it can be used either by the driver and used assessment or the passes greater in the rear seast. The twinface armsets included in the snart contact armsets, which is integrated into the backreat.











The smart comfort package.

This package includes a lumbar support for the driver which can be adjusted manually. With its folding mechanism and integrated cup-holders, the twinface armnest can be used in the front and rear area of the smart forfour. Control confort is enhanced by electric windows at the rear, and the user-friendly electrically adjustable and heated door mirrors ensure maximum rear visibility in all weathers.

The smart leather package.

If you opt for this package, you and your passengers can sit back on stylish leather seats. The front seats are heated, and if you choose the lounge seats, the backs of the front seats are protected with a plastic cover. The not only keeps your leather in good ahape, but lade means that you don't have to be constantly on the look-out for rear-seat passengers with less-than-immaculate shoes!











e smart sports package.

h its firm aports suspension this package is likely to set the pulse's of sporting enthusiasts racing. The spoke leather steering wheel and leather gear knob help you to keep a grip on things. The blue glass must hat you have summer afkee all year round. The 4-spoke "movelline" alloy wheels – measuring 6.5 × 16 just 205/45 R 16 tyres really completes the look.

The smart visibility package.

If night is falling or visibility is poor, the driving lights are automatically switched on by the **light on** function. If the rain sensor function is activated, the windscreen wipers which on automatically as soon as the first dropf of rain are described. The wiper frequency is determined by the level of rainfall. The headlight wash, hips system is there to ensure that you have gleaning headlights at all times.



>> Accessories.

Perhaps one day you'll get the urge to take your smart forfour on a cycling tour. Or maybe you can hear the patter of tiny feet and will soon have a baby on board. With the smart forfour and the appropriate accessories, you are prepared for all

eventualities. After all, why should flexibility have to take a back seat in the face of growing needs? Take a look for yourself at the range of practical, individual solutions to choose from.











In The bicycle rack: Can be fitted to the roof in no time and can be locked for greater security. There is room for two bicycles on the basic rack. IN the seat bag? For sanglik is a designer briefcase and games table rolled into the . You can find it out and use it is a table for the front seat or take it to the meeting with you. IN a manging is a brand new intelligent system designed to organise the interfor of your smart for four more effectively. The basic module depicted here is Inced onto the seat back of the front or rear seats as the basis for a whole boot in

practical ideas. # 4. The snapfix coat hanger's Ensures that even your clothes are offered maximum protection in your amart for four. Simply clip on to the basic module and unclip again as required. # 5. The 8-spoke "cruiseline" alloy whee? Has the looks and the performance. Available in 6 x 15 for 195/50 R 15 tyres. # 6. The 4-spoke "noveline" alloy whee? Has the looks and the performance. Available in 6 x 15 for 195/50 R 15 tyres. # 6. The 4-spoke "noveline" alloy whee? Has the state at the thinks the wheel can't be reinvented, it can always be made more elegant. Available in 6 x 15 for 195/50 R 15 tyres and in 6.5 x 16 for 205/45 R 16 tyres.

ble as of 4th Qtr 2004. ² Alloy wheels without tyres.

















Approximate the spectra of the spect

>> Tables.

Technical data

Engine/type
Capacity in cc
Max. power in bhp (sky) at rpm *
Max. torque in Nm at rpm *
Bore x stroke in mm
Compression ratio
Fuld delivery
Ethnaut qua purification/exhaust qua standard
CO, entaisons in gr/km *
Maximum speed in mpt | lam/h)
Acceleration 0-82.5 mpt | 1-100 km/h | in)
Engine position/trive
Transmission *
Fuel type
Fuel consumption in mpg (1/100km/tfor manual transmission) *
Urban cycle
Extra-urban cycle
Combined cycle
Rowkes dynamic handling control system

Wheela/tyres pulse
Wheela/tyres passion
Wheela/tyres passion
Whick length/width/height in mm
Front/rear track width in mm
Turning circle in m
European track width in mm
Turning circle in m
European track width in mm
Turning circle in m
European track width in kg
Luggage compartment capacity in I
Tank capacity of which reserve in I
Tank capacity of which reserve in I
Fermitted towed weight without brakes (kg)
Fermitted towed weight with brakes (kg)
Maximum permitted voof load (kg)
Warranty in yearn

smart forfour 1.1/75 bhp (55 kW) petrol¹

3-cylinder
1,124
75 (55) 7,6,000
100 (15,50)
75 x 48.3
75 x 48.2
101 (15,50)
102 (15,50)
103 (165)
104
107 (165)
105 (165)
107 (165)
108 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109 (165)
109

Promium unleaded

40.4 (7.0)

61.4 (4.6)

51.4 (4.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

51.4 (5.5)

smart forfour 1.3/95 bhp (70 kW) petrol

4-cylinder
1,332
55 (70) 6,000
125 / 4,000
75 x 73.4
Whitipoint field injection with electronic accelerator
3-way catalytic converter, BU 4
132 (140)
10.8
Front
Meniaud 5-speed transmission
Fremium unleaded

Premium unineded

38.2 (7.4)

38.2 (8.4)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

48.7 (5.8)

1 Available with softward plan 1º (tr. 2003. 1 in accordance with directive 1999/100/EC, 1 to accordance with directive 1999/100/EC, 2 to accordance with directive 1999/100/EC, 2 to accordance with directive 1999/100/EC, 2 to produce a constraint of the standard wheelryne sizes.

smart forfour 1.5/109 bhp (80 kW) petrol

4-cylinder
1,409
1,409
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,000
1074,00

Premium unleaded

16.2 (7.8)

55.4 (5.1)

46.3 (6.1)

46.3 (6.1)

46.3 (6.1)

46.3 (6.1)

46.3 (6.1)

46.3 (6.1)

46.3 (6.1)

46.3 (6.1)

46.3 (6.1)

46.3 (6.1)

46.3 (6.1)

46.4 (6.1)

46.4 (6.1)

46.5 (6.1)

46.5 (6.1)

46.5 (6.1)

46.5 (6.1)

46.5 (6.1)

46.5 (6.1)

46.5 (6.1)

46.5 (6.1)

46.5 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)


46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)

46.6 (6.1)



>> Tables.

Standard equipment		The state of the s	Sold Sold		7
Engine				Metallic door strips with smart lettering	
3 cylinder, 1,124 cc 75 bhp (55 kW) petrol engine 4 cylinder, 1,332 cc 95 bhp (70 kW) petrol engine		•		Height-adjustable seat (driver)	- 9
		•	•	Rear seat bench with the following features:	10
4 cylinder, 1,499 cc 109 bhp (80 kW) petrol engine		•	•	2-seater with 2 headrests, reclinable backrests, backrests of rear bench	
3 cylinder, 1,493 cc 68 blip (50 kW) Diesel engine		•	•	can be folded separately (60:40), horizontally sliding rear bench, tumble function	
3 cylinder, 1,493 cc 95 bbp (70 kW) Diesel en	gine	•	•	(double folding)	
Electric Power Steering		•	•	Seat cushions in brick red	
Electric Power Management		•	•	in brick grey	
Manual 5-speed transmission		•	•	in stretch black	
Chassis				in stretch blue	
McPherson front axle with anti-roll bar, wish		•		Fuel gauge with reserve indicator (in litres)	
Torsion beam axie, coil springs and dampers		•		Emergency switch for interior central locking	
Rack and pinion steering with damper		•		Service interval indicator	
Brakes/dynamic handling control system				Storage facilities	
Electronic stability programme (esp [®]) with Hydraulic Brake Assist				Illuminated glove box	
Anti-lock Braking System with Electronic Brake-force Distribution		•	•	Drinks holder in front	1
Disk brakes at front and rear				Storage compartment in rear centre console	
Acceleration Skid Control		•	•	Storage compartment in passenger footwell	
Wheels/tyres				Multi-functional insert (insert in front drinks holder)	1
Steel wheels	(5.5 J x 14; with 175/65 R 14 tyres)	• 1		Audio	
Steel wheels	(6 J x 15; with 195/50 R 15 tyres)	0.1		smart radio five (radio, CD player including 2 speakers)	- 3
"moveline" 4-spoke alloy wheels	(6 J x 15; with 195/50 R 15 tyres)	0		Safety	
Exterior				tridion safety cell	
tridion safety cell	in black		Oz	Surround light	- 5
	in silver	0		Crash elements at front and rear	- 3
Radiator grille and door mirror moulded	in black			Safety steering column	
	in sliver			Crash sensor	- 1
Exchangeable bodypanels in solid colour	in jack black	•		Prost fog lights	- 1
	in phat red			Pull-size driver and passenger airbag	- 0
	in graphite blue	• 1		Side airbags (front)	
	in ice white			Seat belts with belt tensioner and belt-force limiter (front)	
Solid roof			OF	2 rear seat belts (3-point seat belts)	- 9
Panoramic glass reof with sun-blind		0		Breakdown kit with compressor	- 9
Tricolour rear lights				Drive lock - automatic central locking when vehicle is in motion	
Monocolour rear lights				Anti-theft alarm system	
Polished stainless steel exhaust deflector				Functional/electrical equipment	
Heat reflecting windows in green				Central locking and immobiliser with key control	
Front spoiler				Air conditioning with automatic temperature control	-
Intermittant rear windscreen wipers				Heated rear window	
Interior				Air circulation	- 1
3-spoke steering wheel				Electric windows (front)	- 1
3-spoke leather steering wheel and leather gear knob				Indicators with lane changer function	- 2
Height-adjustable steering wheel				12 V socket	- 2

"Not compatible with stretch blue.	"Not compatible with star blue budypanels.	* Not compatible with graphite blue and deep green bodypanels.	*The spare tyre is not available if breakdown kit is chosen.

ptional equipment		The state of	M. Comments		THE
ngine				Interior	
ftouch plus - 6-speed automated gear	programme with kickdown function & crawl function	01	Ó	Multifunctional steering wheel and trip computer	
heels/tyres				Smoker's kit (ashtray and trip computer)	- 6
noveline" 4-spoke alloy wheels	(6 J x 15; with 195/50 R 15 tyres)	0		Shift paddles (on steering wheel)	- 50
noveline" 4-spoke alloy wheels	(6.5 J x 16; with 205/45 R 16 tyres)	0	0	Heated seats (driver/passenger)	
ruiseline" 8-spoke alloy wheels	(6 J x 15; with 195/50 R 15 tyres)	0	02	Lounge seats in the front (driver/passenger seat backrests can be folded forward into a horizontal	
RABUS "Monoblock VI" alloy wheels	(front - 7 J x 17; with 205/40 R 17 tyres,	0	0	position and height-adjusted, seat backrest can be folded forward into a horizontal position)	
	rear - 8 J x 17; with 225/35 R 17 tyres)			Height-adjustable seat (driver)	
oare tyre 115/70 R 15		(0)	(0)	Rear bench, 3-seats, incl. third headrest and third integrated 3-point belt	
terior				Rear window.blind	
lid roof			04	Seat heating	
snoramic glass roof with sun-blind		0		Storage facilities	
ectric glass sunroof		0	0	Drawer under driver's seat (lockable)	
idion safety cell	in black		03	Cockpit	
	in silver	0		Cockpit clock and engine temperature	
	in titanium				
changeable bodypanels	in starlight silver metallic				
	in star blue metallic	Tantum O O Addio/Navigation stratighe aliver metallic O O Santio/Navigation stratighe aliver metallic O O Santi radio, Op player incl. 4 speakers and telephone keypad) tar blue metallic O O Santi radio savigator (radio, Op player incl. 4 speakers, and telephone keypad) seep green metallic O O Santi Radio Of Santiolo, O Santi Radio O Santiolo, O Santiolo, O Santi Radio O Santiolo, O Santi			
	in flame red metallic				
	in deep green metallic				
adiator grille and door mirror moulded i	in titanium				
RABUS sports rear muffler			OF	Provision for telephone installation (hands-free installation incl. cable harness and aerial)	
railer hitch		01	Og		

"Choice of automatic/manual transmission. Available for 1.11 petrol cars from 1st Qtr 2005. Parallable for passion watant at no extra cost. "If requested, at no extra cost." He pare type is not included in the hereidown bit. "Available at no extra cost." The passion watant parts package. "Not compatible with stretch bits esset cashion." Available for 109 bits engine only. "You constituted with bridle grey seat custions." You compatible with stretch bits esset read for extra cost." And in the passion of the pass

